UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/835,821	04/17/2001	Jari Eikkula	P 280240 2010319US/HS/kop	5540
909 7590	03/21/2001 THROP SHAW PI		EXAM	INER
P.O. BOX 10500		i ilvian, bbi	MAIS, M	IARK A
MCLEAN, VA 221	102		ART UNIT PAPER NUMBER	
			2616	
SHORTENED STATUTORY PE	RIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTH	IS	03/21/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

·			
	Application No.	Applicant(s)	
- esi	09/835,821	EIKKULA, JARI	
Office Action Summary	Examiner	Art Unit	
	Mark A. Mais	2616	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence addre	ess
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w. - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this comm D (35 U.S.C. § 133).	
Status			•
1) Responsive to communication(s) filed on 11 De	action is non-final. nce except for formal matters, pro		nerits is
Disposition of Claims			
4) Claim(s) 1-43 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-4,8,11-14,21,22,29,33,34 and 37 is/ 7) Claim(s) 5, 6, 9, 10, 15-20, 23-28, 30-32, 35, 3 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the original description.	vn from consideration. Fare rejected. 6, 38-43 is/are objected to. r election requirement. r. epted or b) □ objected to by the l		
Replacement drawing sheet(s) including the correcti		• •	1.121(d).
11) The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-	·152.
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Applicati ity documents have been receive (PCT Rule 17.2(a)).	on No ed in this National Sta	age
Attachment(s) X Notice of References Cited (PTO-892) X Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da		
Notice of Dialisperson's Patent Diawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal P		

Art Unit: 2616

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

22, 29,33, K 34

- 2. Claims 1-4, 7-8, 13, and 21 are rejected under 35 U.S.C. 102(e) as being anticipated by Yoakum et al. (USP 6,735,621).
- 3. With regard to claims 1 and 13, Yoakum et al. discloses a method comprising: adding service reference information to an IP telephony signaling message [the IP Network 108 uses SIP, and it is inherent that a network using SIP must be able to add/separate/use the service reference information delivered in the SIP messages] and sending an IP telephony signaling protocol message to a network node [An

SIP message is sent from the IP Network 108 to the SCG 1, see Abstract].

4. With regard to claim 2, Yoakum et al. discloses that the IP telephony signaling protocol message is a message initiating a session [SIP INVITE, col. 2, lines 14-24].

Art Unit: 2616

- 5. With regard to claim 3, Yoakum et al. discloses routing a call to the network node via an entry point [Fig. 1, Number Server 107 is an entry point between Network 1 and the IP Network, col. 4, lines 60-63] and performing said adding in the entry point [the number server 107 can proxy messages to other SIP nodes and receives/converts all called party addresses to numerical values prior to sending them back to Network 1, col. 5, lines 6-12].
- 6. With regard to claim 4, Yoakum et al. discloses that the address of the entry point is added as service reference information to the IP telephony signaling protocol message [the called number (address) is replaced with the new address based on the proxy results for the TCAP-to-SIP and SIP-to-TCAP replacements, col. 5, lines 3-12].
- 7. With regard to claim 7, Yoakum et al. discloses that the IP telephony signaling protocol message is a response message acknowledging a message invoking a session [upon call data being received at the entry point, an SIP INVITE message is encoded and then sent back, col. 6, lines 29-55].
- 8. With regard to claim 8, Yoakum et al. discloses receiving an IP telephony signaling protocol message in a network node serving a called subscriber and adding at least the address of the network node serving a called subscriber as service reference information to the response message [the called number (address) is replaced with the new

Art Unit: 2616

address based on the proxy results for the TCAP-to-SIP and SIP-to-TCAP replacements, col. 5, lines 3-12].

9. With regard to claim 21, Yoakum et al. discloses a

user equipment [Fig. 1, interpreted as user equipment in IP Network 108], a first network node [Fig. 1, IP Network 108], a second network node [Fig. 1, Service Control Gateway (SCG 1), col. 2, lines 64-66]

wherein

the first network node [Fig. 1, IP Network 108] is arranged to add service reference information relating to a call made to the user equipment to an IP telephony signaling protocol [the IP Network 108 uses SIP, and it is inherent that the IP network must be able to add/separate/use the service reference information delivered in the SIP messages] message to the second network node [Fig. 1, Service Control Gateway (SCG 1), col. 2, lines 64-66]; and

the second network node is arranged to separate the service reference information from the IP telephony signaling protocol message [Fig. 1, SCG 101 stores and adds information in TCAP messages into SIP messages from Network 1, col. 3, lines 16-25; and vice-versa when it receives messages bound for Network 1 from the IP Network, col. 2, lines 36-40].

10. With regard to claim 22, Yoakum et al. discloses that the address of the first node is added as a service reference information to the IP telephony signaling protocol message [Fig. 1, SCG 101 stores and adds information in TCAP messages into SIP messages

Art Unit: 2616

from Network 1, col. 3, lines 16-25; and vice-versa when it receives messages bound for Network 1 from the IP Network, col. 2, lines 36-40; moreover, this is a function performed in SIP when creating SIP messages; e.g. SIP INVITE, col. 2, lines 14-24].

11. With regard to claim 29, Yoakum et al. discloses a

user equipment [Fig. 1, interpreted as user equipment in IP Network 108], a first network node [Fig. 1, IP Network 108], a second network node [Fig. 1, Service Control Gateway (SCG 1), col. 2, lines 64-66]

wherein the first network node [Fig. 1, IP Network 108] is arranged to add first service reference information relating to a call made to the user equipment to an IP telephony signaling protocol initiating a session [the IP Network 108 uses SIP, and it is inherent that the IP network must be able to add/separate/use the service reference information delivered in the SIP messages; this function is performed in SIP when creating SIP INVITE; e.g. SIP INVITE, col. 2, lines 14-24], to send the IP telephony signaling protocol message initiating a message to the second network node [Fig. 1, the SIP message is sent form the IP network to Network 1 via SCG 1];

to receive a response message acknowledging the IP telephony signaling protocol message initiating a session and to separate second service reference information relating to the call from the SIP response message [the IP Network 108 uses SIP, and it is inherent that the IP network must be able to add/separate/use the service reference information delivered in the SIP messages from SCG 1]; and

the second network node [Fig. 1, Service Control Gateway (SCG 1), col. 2, lines 64-66]; is arranged to separate the first service reference information from the IP

Art Unit: 2616

telephony signaling protocol message initiating a session and to add the second reference information to the response message and to send the response message to the first network node [Fig. 1, SCG 101 stores and adds information in TCAP messages into SIP messages from Network 1, col. 3, lines 16-25; and vice-versa when it receives messages bound for Network 1 from the IP Network, col. 2, lines 36-40; moreover, this is a function performed in SIP when creating SIP messages; e.g. SIP INVITE, col. 2, lines 14-24; when call data is received at the entry point, an SIP INVITE message is encoded and then sent back, col. 6, lines 29-55; thus, there is a back and forth of adding addresses and separating reference information between the two network nodes, e.g., the called number (address) is replaced with the new address based on the proxy results for the TCAP-to-SIP and SIP-to-TCAP replacements, col. 5, lines 3-12].

12. With regard to claims 33 and 34, Yoakum et al. discloses a network node [Fig. 1, IP Network 108] in a communications system providing IP telephony, wherein the network node comprises means for adding/separating service reference information to an IP telephony signaling message [the IP Network 108 uses SIP, and it is inherent that a network using SIP must be able to add/separate/use the service reference information delivered in the SIP messages].

Page 7

Application/Control Number: 09/835,821

Art Unit: 2616

Claim Rejections - 35 USC § 103

- 13. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 14. Claims 11, 12, 14, and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoakum et al.
- 15. With regard to claims 11, 12, and 14, Yoakum et al. does not specifically disclose that the telephony signaling protocol is OSA, Parlay API, or H.323. However, such signaling protocols are well known to those of ordinary skill in the art. Moreover, adding service reference information to each of these well-known telephony standards is the *intent* of these protocols. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to have added service reference information to not only SIP—but to OSA, Parlay API, or H.323—because service protocols (such as SIP) provide call control that is used to establish, modify, and terminate multimedia sessions (calls) and provide call setup, modification, and termination functions [col. 2, lines 11-16].
- 16. With regard to claim 37, Yoakum et al. does not specifically disclose that the network node comprises a call state control function. However, such functionality is well

Art Unit: 2616

known in the art. SIP provides call control functionalities used to establish, modify, and terminate multimedia sessions (calls) and provide call setup, modification, and termination functions [col. 2, lines 11-16]. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to have provided for a network node with call control state functionalities because gateways between networks provide the means to call control such as set-up and teardown (as well as billing).

Allowable Subject Matter

17. Claims 5-6, 9-10, 15-20, 23-28, 30-32, 35, 36 and 38-43 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

- 18. Applicant's arguments filed December 11, 2006 have been fully considered but they are not persuasive.
- 19. Applicant's representative argues that Yoakum et al. fails to disclose adding service reference information that is delivered in a SIP Message [Applicant's Amendment dated December 11, 2006, page 10, lines 9-18]. Applicant's representative further argues that Yoakum et al. fails to have any service reference information at all [Applicant's Amendment dated December 11, 2006, page 10, lines 18-19].

Art Unit: 2616

Applicant's representative further states that Yoakum fails to add any service reference information to any IP signaling protocol message [Applicant's Amendment dated December 11, 2006, page 10, lines 20-22]. The examiner respectfully disagrees.

- 20. As noted in the rejection of claim 1 above, Yoakum et al. discloses adding service reference information to an IP telephony signaling message in IP Network 108, where SIP is used, as it is inherent that a network using SIP must be able to add/separate/use the service reference information delivered in the SIP messages. The SIP protocol adds its own SIP service reference information to its messages—it is the reason for having such signaling.
- 21. Based on Applicant's argument, the examiner interprets it (the argument) to mean that service reference information from *another protocol* must be added to the SIP message [i.e., CAMEL-related information in an IP-based system using SIP]. However, the service reference information, as claimed in the rejected claims, does not have the requisite functional detail to be interpreted as Applicant's representative argues. Voice over IP (VoIP) networks all must use some type of signaling. But, not all VoIP networks use the *same* signaling. To achieve translations between different VoIP networks, conversion (proxy) gateways often performs translations between different signaling protocols such as H.323/H.450, SIP, MAGACO, etc.—specifically, there are several examples of other VoIP signaling protocol translations [e.g., Yoakum et al. performs TCAP-to-SIP translations; Li et al. (USP 6,961,332) performs ISDN-to-H323

Art Unit: 2616

translations, and both Ma et al.'s (USPs 6,868,090 and 7,136, 373) perform TCAP-

to-H.323/H.450 translations].

Conclusion

- 22. Accordingly, **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).
- 23. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.
- 24. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
- (a) Ma et al (USP 7,136,373), Interception call signaling method and apparatus between a gatekeeper and an intelligent peripheral in a voice frame network.

Art Unit: 2616

(b) Ma et al. (USP 6,868,090), ITU H450.1-based ITU H.323 SCP method and

Page 11

apparatus.

(c) Li et al. (USP 6,961,332), Multiple appearance directory number support

across packet- and circuit-switched networks.

25. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Mark A. Mais whose telephone number is 572-272-3138.

The examiner can normally be reached on M-Th 5am-4pm.

26. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Seema Rao can be reached on 571-272-3174. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

27. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published

applications may be obtained from either Private PAIR or Public PAIR. Status

information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO

Customer Service Representative or access to the automated information system, call

800-786-9199 (IN USA OR CANADA) or 571-272-1000.

February 18, 2007

SUPERVISORY PATENT EXAMINER

TECKNOLOGY CENTER 2600